



Safety switch, heavy duty, fusible, 200A, 600VAC/VDC, 3 poles, 150HP, NEMA 1

CH364

! Discontinued on: Aug 8, 2023

! Discontinued

Main

Product	Single Throw Safety Switch
Disconnect Type	Fusible disconnect
Number Of Poles	3
Electrical Connection Lugs	Lugs
Duty Rating	Heavy duty

Complementary

Line Rated Current	200 A
Factory Installed Neutral	None
Mounting Type	Surface
Voltage Rating	600 V AC/DC
Motor Power Hp	50 hp at 480 V AC 5060 Hz for 3 phases motors 125 hp at 480 V AC 5060 Hz for 3 phases motors 60 hp at 600 V AC 5060 Hz for 3 phases motors 150 hp at 600 V AC 5060 Hz for 3 phases motors 40 hp at 250 V DC 50 hp at 600 V DC
Wire Size	AWG 6250 kcmil copper or aluminum
Tightening Torque	275 lbf.in (31.07 N.m) 0.020.20 in² (13.30127 mm²) AWG 6250 kcmil)
Height	29 in (736.60 mm)
Width	18.5 in (469.90 mm)
Depth	8.25 in (209.55 mm)

Environment

Certifications	CSA
Enclosure Rating	NEMA 1 galvannealed steel

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.50 in (21.59 cm)
Package 1 Width	19.50 in (49.53 cm)
Package 1 Length	30.50 in (77.47 cm)

Package 1 Weight

45.02 lb(US) (20.421 kg)



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc
Ø	Toxic Heavy Metal Free
Ø	Mercury Free
Ø	Rohs Exemption Information Yes
⊘	Pvc Free

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations