

Mini circuit breaker, Homeline, 20A, 1 pole, 120/240VAC, 10kA AIR, standard type, plug in, UL

CHOM120

Main

Range Of Product	Homeline
Product Or Component Type	Miniature circuit-breaker
[In] Rated Current	20 A
[Ue] Rated Operational Voltage	120/240 V AC
Mounting Mode	Plug-on
Poles Description	1P
Short-Circuit Current	10 kA
Circuit Breaker Type	Standard
Circuit Breaker Application	HACR and Switching Duty rated
Electrical Connection	Screw clamp terminals

Complementary

Number Of Spaces Required	1
Awg Gauge	AWG 14AWG 8 aluminum/copper

Environment

Product Certifications	CSA
Ambient Air Temperature For Operation	104 °F (40 °C)

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.00 in (7.62 cm)
Package 1 Width	1.00 in (2.54 cm)
Package 1 Length	3.00 in (7.62 cm)
Package 1 Weight	4.48 oz (127.006 g)
Unit Type Of Package 2	PAL
Number Of Units In Package 2	5100
Package 2 Height	40.00 in (101.6 cm)
Package 2 Width	36.00 in (91.44 cm)
Package 2 Length	48.00 in (121.92 cm)
Package 2 Weight	1429.28 lb(US) (648.312 kg)

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)