



SWITCH NOT FUSIBLE HD 600V **60A 4P NEMA1**

HU462

Main

Single Throw Safety Switch
Heavy duty
Heavy application
Non-fusible disconnect
None
3 phases
4
60 A
600 V AC/DC
NEMA 1 steel
20 hp at 240 V AC 5060 Hz for 2 phases motors 20 hp at 240 V AC 5060 Hz for 3 phases motors 40 hp at 480 V AC 5060 Hz for 2 phases motors 50 hp at 480 V AC 5060 Hz for 3 phases motors 50 hp at 600 V AC 5060 Hz for 2 phases motors 60 hp at 600 V AC 5060 Hz for 3 phases motors 10 hp at 250 V DC 30 hp at 600 V DC

Complementary

Mounting Type	Surface
Electrical Connection	Lugs
Wiring Configuration	4-wire
Wire Size	AWG 14AWG 3 copper AWG 12AWG 3 aluminum
Tightening Torque	50 lbf.in (5.65 N.m) AWG 3) 45 lbf.in (5.08 N.m) AWG 6AWG 4) 40 lbf.in (4.52 N.m) 0.01 in² (8.367 mm²) AWG 8) 50 lbf.in (5.65 N.m) 0.000.01 in² (2.065.261 mm²) AWG 14AWG 10)
Depth	6.85 in (173.99 mm)
Width	16.13 in (409.70 mm)
Height	20.5 in (520.70 mm)
Net Weight	28.66 lb(US) (13 kg)

Environment

Certifications UL listed file E2875

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.20 in (18.288 cm)
Package 1 Width	17.00 in (43.18 cm)
Package 1 Length	26.30 in (66.802 cm)
Package 1 Weight	28.87 lb(US) (13.095 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Mercury Free	
⊘	Rohs Exemption Information	Yes
⊘	Pvc Free	

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations