

Disconnect switch, TeSys VLS, interlock for line changeover (I-0-II), size 1, 16A to 40A devices

VLS8C1

Main

Range	TeSys
Product Or Component Type	Mechanical interlock
Accessory / Separate Part Category	Interlocking accessory
Range Compatibility	TeSys TeSys VARIO LS VLS3P
Handle Colour	Black
Handle Front Plate Colour	Grey
Rotary Handle Padlocking	1 padlock 0.16 in (4 mm)
Marking	1-0-2

Complementary

Fixing Mode	By clips and screws
Tightening Torque	4.43 lbf.in (0.5 N.m)
Height	1.77 in (45 mm)
Width	2.83 in (72 mm)
Depth	1.06 in (27 mm)
Net Weight	0.11 lb(US) (0.05 kg)

Environment

Standards	UL 508 CSA C22.2 No 14	
Product Certifications	cULus EAC	
Ip Degree Of Protection	IP20	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.50 in (8.89 cm)
Package 1 Width	2.50 in (6.35 cm)
Package 1 Length	2.00 in (5.08 cm)
Package 1 Weight	0.13 lb(US) (0.06 kg)
Unit Type Of Package 2	S02
Number Of Units In Package 2	28

Package 2 Height	5.91 in (15 cm)
Package 2 Width	11.81 in (30 cm)
Package 2 Length	15.75 in (40 cm)
Package 2 Weight	4.83 lb(US) (2.191 kg)

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)