

Disconnect switch, TeSys VLS, recessed rotary handle, screw mounting, 65x65mm, red handle, 5mm shaft

VLSH1S5R

Main

Range	TeSys		
Device Short Name	VLSH		
Product Or Component Type	Rotary handle		
Range Compatibility	TeSys TeSys VARIO LS VLS3P		
Handle Colour	Red		
Handle Front Plate Colour	Yellow		
Rotary Handle Padlocking	1 to 3 padlocks 0.160.31 in (48 mm)		
Marking	0 - 1 OFF-ON		

Complementary

Fixing Mode	By 4 screws	
Tightening Torque	20.36 lbf.in (2.3 N.m)	
Base Dimension	65 x 65 mm	
Height	2.56 in (65 mm)	
Width	2.56 in (65 mm)	
Depth	1.81 in (46 mm)	
Net Weight	0.16 lb(US) (0.073 kg)	

Environment

Ip Degree Of Protection	IP65
Nema Degree Of Protection	NEMA 1 NEMA 4 NEMA 4X

Packing Units

Unit Type Of Package 1	PCE	
Number Of Units In Package 1	1	
Package 1 Height	1.97 in (5.000 cm)	
Package 1 Width	2.56 in (6.500 cm)	
Package 1 Length	2.56 in (6.500 cm)	
Package 1 Weight	2.29 oz (65.000 g)	
Unit Type Of Package 2	S02	

Number Of Units In Package 2	40	
Package 2 Height	5.91 in (15.000 cm)	
Package 2 Width	11.81 in (30.000 cm)	
Package 2 Length	15.75 in (40.000 cm)	
Package 2 Weight	6.52 lb(US) (2.958 kg)	

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Fi	ree Of Svhc	
✓ Toxic He	avy Metal Free	
Mercury	Free	
Rohs Exc	emption Information	Yes
Reach Regula	ation	REACh Declaration
Eu Rohs Direc	ctive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs R	egulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)